


IT'S MOT TUST A SPORT.



WE'VE NEVER BEEN ONES TO LEAVE WELL ENOUGH ALONE. SO EVEN AFTER MITH THE

GREATEST CHANGES IN POLARIS HISTORY, WE'RE STILL GETTING BETTER. FOR 00, FOUR MODELS COME WITH

ALL NEW DOMESTIC POWERPLANTS (VARIABLE EXHAUST IN THE 50 VARIABLE EXHAUST IN THE 600

000 REPA ア E

XC SP & 600 TOURING, AND AN 800 TWIN IN THE 800 RMK). FOUR ADDITIONAL MODELS (SPORT TOURING,



Tipped-in XC-10 Trailing Arms: Unlike competitive trailing arm designs, those arms put more ski on the trail and give you better control and handling. Which means, you get all the confidence you need to take the conners with authority.

TRAIL TOURING, 600 XC DELUXE, AND THE 500 RMK)

NOW OWN IMPROVED PERFORMANCE ENGINES WITH

EXTRA-ADRENALINE-INDUCING-POWER. MOST MODELS SPORT THE SLEEK, NEW GEN II BODY STYLE. SIXTEEN

MODELS WEAR AN IMPROVED FRONT AND/OR REAR SUSPENSION AND/OR NEW CHASSIS FOR EXTRA

COMFORT. ELEVEN MORE SLEDS UTILIZE NEW HI-PERFORMANCE HYDRAULIC DISC BRAKES WITH "STOP ON A

VERTI WORK S \mathbf{H} I S 口 Ξ S 山

SNOWFLAKE" ABILITY. EIGHT MODELS GOT HOOKED UP WITH QUIET SOUND PACKAGES-THAT DON'T

SACRIFICE PERFORMANCE. AND, FINALLY, 14 MODELS SHED

the k design

SIGNIFICANT POUNDS THIS YEAR TO OFFER A LIGHTER, BETTER RIDE.

Left hand control grouping: 11's all in the left. This convenient award winning design includes dinumer switch, hand and thumbwarmer controls, un easy-pull brake, and, on the 700 XC Deluxe, an olectronic shock control.



DSEE

TAKEHAWAY

0 START THESE MACHINES, THEIR ENGINES TAKE A BIG GULP OF AIR BEFORE YOU GOOSED BY OUR VARIABLE EXHAUST "ARE BREĎ" FOR PURE PERFORMANCE, SYSTEM AND KICKED INTO GEAR BY



S

J 7

• • 9 P

After 45 years of making sleds it's safe to say we know how to make a great sled. A good example is

our limited edition 45th Anniversary 500 XCSP. For 2000, this sled gets the Gen II look and controls,

mirrors, and 45th Anniversary special graphics. As for power, well when you nail the throttle, just remember where the brake is. It gives


you 16% better performance than last year's 500 XC SP, thanks to p new case rood 500 domestic twin with a Variable Exhaust System and rack


carbs. A Throttle Position Sensor gives it outstanding reliability. the added a new performance seat, larger 12 gallon fuel tank, and low octane fuel

switch. Also, a wider 42.5" ski stance accompanies g Oberior Indy XC-10 front suspension, Polaris Position Sensitive


Fox m rear shock and in 15 shocks. Yes, it might be our anniversary, but we're giving you all the goods.

Polaris Limited Edition 45th Anniversary sleds are available in the 500 XC SP, 600 XC Deluxe, and 700 XC Deluxe. All feature our new Gen II style, controls, mirrors, and special graphics.





suspension the best overall stock rear suspension. exclusive Position Sensitive Fox TM rear shock. One of the reasons why SnowTech magazine calls the 500 XC's XTRA-10 rear has a wider 42.5" ski stance, a brighter headlight, and our exclusive ride-adjustable Indy Select IFS shocks. It also comes with the Our 500 XC can take you anywhere and always brings you back, with our proven, powerful case reed twin 500 ongine. This year it





0

the 700 XC SP with its durable, high-performance, domestic liquid-cooled angine?

What can be said abo


How about that it's The 1999 Sled of the Year. That's what SnowGoer magazine said. And normally that would be

provements, like putting a quiet sound package under the hood, giving it a brighter enough to rest on. Right? Not for us. This year, we've made i


p front, it has a wider 42.5" ski stance to take advantage of its Indy XC-10 front headlight, now performance seat, and larger fuel tank

The star features from '99 return: The Polaris Position Sensitive suspension with tipped-in trailing arms, Fox the rear shock, Fox the front shocks, and the high-performance, 700cc liquid-cooled twin. Can you say 2000 Sled of the Year?





2000 SLEDS FEATURE THE NEW GE AND CONTROLS AND





Left-hand controls make

your tide more a

models, it also features a high visibility

in-sent storage. On liquid-cooled

backrest light, hand wind protectors,

and heated passenger gups.



The liquid-cooled 500 Classic Touring is now even classier, with new Gen II body style and controls. We've added the new hi-performance disc brake

this year, too. Popular returning features include the deluxe touring

package, electric start, reverse, composite skis, mirrors and the

XTRA-12 suspension with 12" of travel under you and


10" up front.



Touring sleds this year.

ulic disc brake and comes standard powerplant. It also carries the new Gen II body sry Our Trail Touring slingshots ahead this year, with I

with a great two-up touring package, electric start, reverse



reverse, a 41" ski stance and a torsion ba

WIDET

The WideTrak LX has a reputation for being the hardest working sled on snow. This year it works even harder, with new wide Ski skins for better flotation and handling. It has a

brighter headlight. And still carries the reliable 488cc liquid-cooled engine, along with hi-lo transmission with reverse, electric start, and d 20" x 156" track designed for unequalled

inguiring (S)

NO AIR? NO PROBLEM: YOU'VE GOT ONE OF

THE POLARIS MOUNTAIN MACHINES, THE BEST

PRICING MOUNTAIN MODELS IN THE BUSINES

THIS YEAR THERE ARE IMPROVEMENTS THA

MODELS, WE'VE ADDED HIGHER WAY DE


MOUNTAIN BARS, HOOKS AND THE

India


FIRST OFF-SET SKIS.

YOU TO QUICKLY ADJUST

38.2" 10 39







track with 1.5" deep lugs powers it up the hill. It rides easier with a higher handlebar, new Gon ^III styling and controls, a new lydkallieralse brake control when you're in it up to here. It's Our new Mountain Bar gives you better standard equipment on the 600, 700

Unid off-set skis for better handling.

Plus, our new XTRA-Lie rear

suspension gives you 12" of travel.



The list of things that makes our case reed 700 SKS popular with its fans just got longer. It has

a higher handlebathis year, and quiet sound package. The new Indy XC-10 front suspension,

the Controlled Rollicenter handling package, and a 42.5" ski stance.

INDY TRAIL RMK

The Indy Trail RMK remains the deep snow favorite among

fun-cooled fans. This year it has a higher handlebar for


belter control. The powerful 550 cylinder reed engine

is standard, with Altitude Compensating Corburators,

1.25" deep lug track and a rotated chain case

to keep your center of gravity low.

This year, the ski stance adjusts on many RAKs. It lets you sidehill botter and lets you customize your ido to varying conditions.



700 XG Deluxe

COLOR FOR THE TRUE SLED ENTHUS

THE WHITE STUFF IS BEAUTIFUL ENOUGH.

RIDE OUR 500 CLASSIC, 45TH

VERSARY 600 OREZ OO X6 DELUXE

AND YOU'LL SEE WHAT WE MEAN. THEY

HAVE THE POWER TO PROPEL YOU

THROUGH WINTER WONDERLANDS,

WITHOUT FORGETTING CREATURE COMFORTS

weight, and a new attitude this year. Along with its 488cc liquid-cooled heart, it features our new Gen II styling and The liquid-cooled 500 Classic returns with a new look, lighter

BOLARIS

<u>olassic</u>

All arman

front and a new hi-performance disc biako that is negnily 60% controls, electric start, reverse, electric fuel gauge, and easier to pull. It also has the XTRA-12 rear suspension and composite skis wit

carbide runners for effort

W > - Z Z Y 9

One of our, 45

0

Depared to hurl you into the next millennium. It

features our high-performance 600 case reed twin engine. Then it

sports the 45th Anniversary package graphics, tipped-in trailing arms,

the Controlled Roll Center hundling package

(CRC), a quiet sound package, reverse,

electric start, electronic fuel gauge, larger fuel tank,

and now performance seat, too.

C

451H ANNIVERSARY INDY 700 XC DELUXE

on our exclusiva alactronic front track shack by up to 600%, Instantly, you're parfacily tuned to

conditions, for maximum handling and comfort

Drily an the 700 XC Doluxo, this handlebar switch lets you adjust the compression damping

The 700 XC Deluxe is also appropriately one of our 45th Anniversary models. It's completely new for the year 2000. And it completely dominates everything it meets on the trail. Equipment includes our exclusive driver controlled electronic adjustable shock, new Gen II body with 45th Anniversary package graphics, a new quiet sound package, and case reed 700 domestic twin engine. Handling the power is also easy, with tipped-in trailing arms behind a 42.5" stance on composite skis. And XTRA-12 rear suspension, reverse, an electric fuel gauge and mirrors are all standard.

TOO TO Come


Plush XTRA-12 suspension is the yay to ride

Plush XTRA-12 suspension is the way to ride in confort. It gives you a full 10" of travel up front and 12" fully coupled in the rear. Front and rear shocks let you adjust the ride just the way you like It.



ER ARE. SHORT 1 Ξ

THE DAYS ARE SHORTER, SHADOWS ARE NIMBLE AND



travel and 10.2" of rear travel.

comes in a blue blur, too. It has a

POLAHIS **

the lindy 340 Deluxe is the k

ulible ride for an en

	 Dimensions/Capacilies		700 XC SP	600 XC SP	500 XC SP 451H	\$00 XC	600 Youring	CLASSIC TOURING	TRAIL TOURING	SPORT	WIDETRAK LX
1/24/2 1/24/2 1/24/2 1/24/3 1	EST. DEY WEIGHT (powods/Ag) AMMUNUA VROTH (in/cm)	\$55/281.J 48/121.9	490/727.3 48/121.9	483/219.1	486/220.5	48/720.5	584/264.9 48/121.9	564/255.8 48/121.9	533/241.8	497/225.4	435/1105
1944 1954	: SIQ CENTER DESIANCE (m/cm) HEXCHT (m/cm)	45/114.3	425/108	42.5/108	425/108	42.5/108	\$121/\$ 1	42:3/108	42.5/108		38/765 49/124.5
Fig.	PRELOUNCHY OS GA/AD	11.8/4.7	12/45.4	12/45.4	12/45.4	118/417	11.8/44.7	11.8/447	· 11.8/4.7	11.8/447 E.	7WW 3
1945 1945	Engine/Drive Train	A THE COMPANY OF THE				, , , , , , , , , , , , , , , , , , , ,					
THE FIGURE STATE Thirthy AND STATE THIRT	DISPANGARATION/CYLINDOPOSTYPE IGNITION	794/3-Liquid Deoral Col	700/2-liquid Dioxid (DI	600/24spid Diobal CD	S00/7-Uquid Dover CD	S00/24quid Diosel CO	600/2-Uquid Distrib	488/2/cpul	544/24m (13	SAI/Zfm CD	488/74444 ()
10.00 km	EXHAUST	High Figs. VES	Single Poo	Style Ppe, PES	Steph Pro, WS	Single Poo	Single Pipe, VTS	Single Tree	Snote Pro		24.405
	NEWCTION TYPE	(nse Reted	Coss Read	Coss Reed	Caso Reed	Cose Reed	Caro Reed	PatenPod	Cyl. Reed Austr	Cyl. Reed Assist	Piston Port
1816 Stocket	CARBUREIUM (No. and Myn) Brace System	3-174,38 Fersion, 115 Polaris HPB Lip, Cooled	Polaris HPB Uq. Cooled	Polos IIPB Eq. Cooked	Films thiston, IPS Potori IIPB Eq. Cooled	Potons 1978 Liq. Cooled	2-CM38 Planside, 1PS Polois HPB	ZWARKS	2YM34SS Paloris IIP8		Arken Dix
10,75.4 10,7	PACING BRAKE Suspension	Standard	Stroked	Stondard	Storikal	Starber		Svadod	Standard	papus .	W
10,754 10,755 1	FROM SUSPENSION	XC-10, CRC	XC-10, CRC	KC-10, CK	XC-10, CXC	XC:10, CK	XTPA-10, CRC	Indy XIRA	Indy XTRA	Mary XTR.	
Compose Comp	FROW TRAVEL (in/cm)	10/25.4	FS2/01	10/254	10/25.4	1,6/24.1	95/24.1	10/25.4	10/25.4	97/246	7.25/18.4
Colicio Coli	NS SHOOK/SPRING ADI.	For ¹⁴ IfP/Iheodel	Fox IFP/Ilmended	for NP/Threoded	Fox BP/Threaded	Sekt/Threoded	Selat/Tacoded	Select/filteraled	Hitter/Threoded	lines/fireodod	Miner/Noed
Standard		Composite	Composite	Composito	Composite	e ejeodus)	Composite	Composite :	25.00 2.00 2.00 2.00 2.00 2.00 2.00 2.00	.	Sted w/Hide Stin
10,715.9 10,715.9	SAI FUNNIEK TORSION BAR	Standard	Stradard	Sympton S	Stankral	Standerd	Standard Standard	t-r Skor totese Standed	F-E Steer Loronto Stendard	E-2 Steer Corbide Stondord	2 ≤
10.2/75.9 10.2	MEAN Praintenancean	YTBA-10 Byve	YIPS-ID Bye	MPA-10 Page	YIPA-10 Born	YF4.10 Pro:	FEE 12 121	MD4.12.133	EC1 01. A91Y	VIDA. M 122	P4 P4
	KGAR 1RAVEL (m/cm)	102/25.9	10.2/25.9	10.2/75.9	102/25.9	102/259	12/30.5	12/305	115/292	9.5/24.1	\$5/24.1
If Option Optio	FRONT TRACK SHOCK/REAR TRACK SHOCK TRACK (IV X 1 X (UG) (n)	Fox/for 15 x 121 x .91	Fou/For Pos. Sens. 15 x 121 x .91	fac/fac for Sen. 15 x 121 x .91	Fox/Fox Pox. Sers. 15 x 121 x 91	flyds EX/Fox Pos. Sers. 15 x 121 x .82	Ryde AFA/Sebul 15 x 133,5 x .82	Salect/Select 15 x 133.5 x.82	3they/5sled 15 x 133.5 x .82	Hiter / Tites 15 x 136 x 1.0	Henry Filter 20 x 156 x 1.0
Miles Miles Miles Optional Opti	Features					•					
Optional Optional Control Optional Control Optional Studies Optional Optional Control Cont	ELECTRIC STATE	N/A	Optional	Opticad	Optional	Optional	Stordard	Steedard	Standary	Opford	Stendard
Sandrid S. Standard Standar	RVERSE	Optional Construction	Optional Combant of the order	Optional Constant Administr	Opford County Resettly	Optional Co. 2. 1 Leastle	Sendard Sendard 14 miles	Stordard	Shaded	Storehod	Std/Ht/lo/Ker
ER Standard S Sendral S Standard Standa	SPEEDONEIR	Skanderd 5"	Standard 5"	Sharked 5"	Storbard 5", While face	Stantad 5	Stendord S*	Shandard S*	Standard S*	Standard 5"	Shoods
Heiner Haberson Manager Beets Beets Beets Haberson Manager Beets Beets Haberson Manager Beets Beets Haberson Manager Beets Beets Haberson Manager Beets Beets Beets Haberson Manager Beets	TACHOMETER	Stradard S	Sendod 5*	Syandard S*	Stadard S., White Face	Stendard 5	Stropus S	Shandoid 5*	Optional	Optonol	Stendard 5"
HE LOHI Standard Standard Standard Shardard Shar	FUEL GAUGE	Structural	nacional Orient	Description	Necronical	hydranga	Sender		Hathorical	Methanid	Pachonical R. A.
HIPTRANTIK GALCE NA Optional Standard Optional Standard	TEMPERATURE LIGHT	Stendard	Structord	Standord	Stendard	Shinded	Shorded	Standerd	K /1	WA.	Sendad
Standard S	ELECTRIC TEMPERATURE GALCE	\$	Depoid Depoid	Optond	Optional	Optional	Optional	Opteral	H/A	N/A	X/X
	LOW OIL DGHT	Slondard	Standard	Standard	Standard	Standard	Sondon P	Standard Standard Standard		Standard	Standard
SSINGER GRYS M.A. W.A. W.A. W.A. WASSINGER GRYS M.A. W.A. WASSINGER GRYS M.A. W.A. WASSINGER GRYS M.A. W.A. Sourch Sourch Gen Theformore Gen Theformore	HEADUCHT (Type High/Low Watts)	100/60 Robon-100/60	Ildogen 100/60	llobgen-100/60	Molecus-100/60	Halogen-100/50	14dogar 100/60	Hotogen-100/60	Hobert 100/60	. Uprana 1lobges - 100/60	Upword Hologen-100/60
MA NAME OF STATES AND STATES OF STAT	STORAGE RACK/TOW HTCH	100/00	20/VP	76/AP	N/Q/	#0/#5	#0/r50	16/46	(d)/do	P0/40	PS/PS
Options/14 Options/14 Options/14 Options/14 Options/14 Std Stgb least 14 Std	DSCINOCIA UNIT	Med Soutered	Gen Il Performance	Gen I Perkomanse	ci/A Genil Performancia	MA Southed	Stones 245 Delus	Managed 24th Belone	Optonal	* 4 <u>*</u>	≸ ₹
1. 1818 1 to the first than the firs		Optioned/Adi	Optand/Adj.	Opficnol/Adj.	Options/Ad	Optond/Ad.	Std. Stayle Love Act.	Sal Say's lens Ad	Sid. Single Lever Ad.	Standard/Adj.	Stondard
FOR THE PROPERTY AND TH		Mid Dany Saraka	Aid Florod Smoks	Mid Flored Smoks	Afrid Threed Smoke	Mid Floed Smoke	High fland Clear	High Flored Clear	Righ Hand Clear	flored Clear	Flored Toll (bed
こうしゅ かいしゅう かいしゅう しゅうしゅ かんしゅう かんしゅう かんしゅう かんしゅう はない こうしゅう しゅうしゅう はんしゅう はない ないしゅう はない ないしゅう はない こうしゅう はない こうしゅう しゅうしゅう											

. =: :

The second secon

487/7209 487	14.			0 m m o	S N O W			3						- 1 '
								Ē	× 0	K .		20	POR	
19/1073 19/1074 19/1		800 RAIK	700 RMX	600 RMK	500 RMK	TRAIL RAK	700 SKS	700 XC DELUXE 451H	600 XC DELUXE 45TH	500 CLASSIC	NOY	INDY 500	INDY SUPER SPORT	
\$\(\text{\$13,93,97,000}\) \$\(\text{\$23,95,97,000}\) \$\(\text{\$23,95,000}\) \$\(\$23,95,	-	491/222) 435/110.5	487/220.9 43.5/110.5	487/2209 43.5/110.5	435/1105	462/209.6	506/729.5 48/121.9	\$35/742.7 48/121.9	560/254.0 48/1/21 9	456/224.9	499/2263	474/215.0	416/7023	1
COLITICA CAPITAL <	Lagran	34.239.5/97-100.3	38.239.5/97 100.3	38 2-39.5/97-100-3	38/94.5	38/96.5	125/108	42.5/108	42.5/108	125/108	425/108	425/108 425/108	48/12.13 42.5/108	
	ليدودي	12/45.4	12/45.4	45/114.3 12/45.4	45/H43	45/114.3 11.8/41.7	45/114.3 11.8/44.7	45/1143 12/45.4	45/114.3 12/45.1	45/114.3 11.8/44.7	67/1/3	45/114.3	45/114.3	
\$\\ \text{Fix}\text{Fix}\text{ \$\text{Fix}\text{ \$\text{ \$\text{Fix}\text{ \$\text{ \$\text{Fix} \$\text{ \$\te	work . The contracting	·					į	<u>ن</u> :	4	49		Liby na	11.74.76.11	
Space Spac	4300	194/2-liquid	700/74pid	\$93/7Uquid	S00/2Uquid	5/4/2fan	700/7:Upud	700/2-lipsid	\$93/2Upid	488/2 liquid	597/3 liquid	488/7Hquid	541/2fm	1
Concluded Conc	a chiata	Single Poe, Quel	Sinde Roo, Oviet	Sinde Pay Chief	Single Prop	Conda (Conda)	Sando Pero Anto	097d (B)	Dghal (D)	; E	· · · ·	.	8	
	ar Dur	(ox Reed	Cose Rood	Cose Read	(ose lend	fol Read Luke	fore Book	Segeripa, user	sage ripe, user	od refer	Single Play/Quict	Single Pipe	Single Plus	
Red	***************************************		239mm Kehin w/ACCS	2-39/nan Keliin w/ACCS	2-18/38 Flatside	ZYIIAHSS W/ACCS	2-39mm Kefsin	239mm Lehin	232mm Kehin	2-WALSBSS	3-11/138 Ebytide	Polon Port	Cyl Reed Assist	
Second S		Polaris NPB Liq. Cooled	Polans HP8 Liq. (exted	Polonis HPB Lig. Gooled	Polotis HPB Lig. Cooled	Polois RPB	Polonis HPB Liq. Gooled	Poloris JIP8	Poloris 1978	Polots HPS	Polars HFB	Polois RPB	Polos III-8	
Value Valu	2 - And 40 - V-	yayan .·	Mirridad	Skockad	Standard	Stondard	Stonebard	Shindad	Standad	Standard .	Slandad	Shoderd	Standard	
		XC-10, CRC	XC10, CRC	XC+0, CRC	XIRA-10, CBC	hdy XIRA	XCIO, CXC	XC-10, CRC	XC+D, CAX	hdy XIRA	holy XIRA	lady XTIRA	indy XIRA	
Schikt (compole) Schikt (compole) Schikt (compole) Schikt (compole) Schikt (compole) Compole) Compole) Compole) Compole) Compole) Compole) Compole) Compole		ilinex/Threaded	Mares/Threaded	lithex/Uneodod	Nithon/Threaded	Nitrax/Tireoded	1.6/24.4 liner/Threaded	9.6/24.4 Salar1/Illumodal	9.6/24.4	10/25.4	10/25.4	10/25.4	10/25.4	
Common Common Concide Code/do		Schiller (ampavie	Sidehiler Composite	Sidefiler Composite	Sidehilar Composite	(omposite	(onposite	Composite	Composite	(conposite	(amposite	Sleet	Steel	
		Sendad	Standard	Standard Standard	Straday	Codedo Codedo	E-7 Stees Coolidge	Contide	erente	C-Z Stee Corbida) <u>(</u>	(cabide	E-7 Steer Carbide	
12/00.5 12/0		VIII 15. 157	1971	i i i i i i i i i i i i i i i i i i i	Hillians	. wastlik	Signatura	Signosia	Skaptard	Siandoid	Shootord	Stordard	Standard	
Samu/Select Hamy/Select		12/30.5	12/30.5	12/30.5	12/305	12/30 S	95.7% 1 961 01-Marx	XIIA-12	21-121X	XIRA-12	XIRA-10 Rate	XTRA-10 Roce	XIRA-10	
Opford Opford<			Nibex/Select 15 x 136 x 1.75/2.0	likter/Selact 15 x 136 x 1.35	16/13/5elect	Hiner/Selact	#ihex/Sdc#	Betroric Shork/filites	Seloca/litter	Schort/Jilmex	RydefX/Tox Pox. Sens.	Ryde FX/Select	Rhey/Select	
Opford Opford<						į	13 A 14 C		134 KT 8.31	13 KCI 3.02	5 × 161 × .02	15 x 121 x .8x	15 x 121 x 82	
brokent Assantha Standard Aspantha Standard Stan		Optional Optional	Optional Detional	Optional Ontional	Optional	Optional	Optional	Optional	Slandard	Sendard	Outonal	Optional	Optional	
Standad S* Standad		Standard Adjustable	Standard-Adjustable	Stondard Adjusticale	Standard-Adjastable	Shandard-Arkus kutha	Standard-Adjustable	Standard-Adjusted de	Standard-Adustrable	Standard-Ardustoble	Uptand Constraints	Optional Crawlard Marchella	Option of	
Sectorial Machanial Machan			Slandord 5"	Standard 5"	Standard 5"	Standard \$"	Standard 5"	Stendard 5", White Foce	Stondard 5", White Face	Stondard 5	Standard 5"	Standard 5"	Stendard 5"	
Opkrand Opkran			Machanies 5	Monday 5"	Stondard 5"	Standard 5"	Standard S	Standard 5", White Foca	Shandard ST, White Fore	Standard S*	Shindard 5"	Standard 5"	Slandard 5"	
Stracked Optional Opt		Definal	Ontorni	Optional	A CHOICE	Alaman (a	Medianical	Fecilia	Bak	Clertife	Redunical	Redocal	Mechanical	
Opformal		Stondard	Standard	Slandard	Staduri	N/A	Shindad	Steedard Steedard	Stondard	Shadad	Optional	Optional	Optional and	
Standard Optional Opt		Optional	Optional	Optional	Optional	W.	Optional	Dyland	Jational	Dational	Defined	Nonotara Doformal	1 /2	
		Shordard	Storidard	Standard	Standard	Standard	Stordard	Standard	Standard	Standard	Shadad	Signatura	Standard	
		Optional	Optional	Optional	Optional	Optional	Optional ·	Standard	Stondard	Storekard	Optional	Optional	Optional	
And theref Sends Mid Th		Kobgen-100/60	Hekogen-100/60	Halagen - 100/60	Halagon - 100/60	Biogen - 100/60	Hatagen 100/60	Hologon-100/60	Magen-100/60	Ildogen-100/60	Haspen-100/60	Hubogen-25/60	Hatopen 100/60	
Gest Performance Gest Performance Long Length Sandard Long Length Control Long Length Gest Length Control Long Length Long Len		N/A	η/a γ	N/A	N/A	W/H	(\$/\\$)	\$/Q	160/130 160/130	0p/0pa	04/04	Opt/40a	140/v6	
N/A 11/h Opiond/A4 Opiond/		Gen Il Performance	Gea II Performanco	Gen a Performance	lang tengah	Standard Loogla	long length	Gea II Performance	Gan II Performance	lora lengili	loo leroth	lan leach	Shadad Awa+	
Mil fixed Smith		N/A	N/A	II/A	Optional//	Optional/Adj.	Optional/Adj	Optional//44	Optional/Adj.	Optional/Auf.	Dutional/Adj.	Optional/Adi	Optional/Adi.	
	1	Aid Flored Stroke	And Flored Smoke	ANd Flored Smoke	And Flored Smoke	Hill Ford Smoke	Wid Flored Smoke	Ald Fored Smoke	Ald Flored Smoke	And Flancel Smoke	Hid Flored Schola	Aid Flored Smake	And Flored Smoke	

'Standard longth on White Super Sport, Long length on Rigist Blue Super Sport.



Ride The Best. Look The Best.
To complete your Polaris experience check out our genuine Polaris Parts,
Garments & Accessories catalog at your local Polaris dealer.

quality, innovation and customer satisfaction. Today, at over \$1 billion fit sales worldwide, Eglaris has In 1954, Poloris Industries Inc. began marketing snowmobiles and firmly established its reputation for corporate and sules offices in Minneapolis, a whally owned subsidiary in Winnipeg, Canada and engineering, manufacturing and dispibuion facilities in Minnesota, Iowa, Wisconsin and South Dakota. decades. Innovative features and leading-edge engineering hove made Snowmobilers who ride the best have chosen Polaris for more than four Polaris the averall leader since the company's first sled broke trail.



of those who ride the bast. Since introducing its all terrain vehicles (ATVs) in 1985, Polaris has set the Independent Front Suspansion (IFS), long travel rear suspansions, progressive comfort features, and superior engines have longed the Polaris legend. After 45 years on the snow, Polaris remains tha choico



disc brakes on every Polaris ATV. 2WD and 4WD sport and utility models are standard with innovative features and superior performance including Automatic Polaris Variable Transmission (PVT), full floorboards, and single lever hydraulic

available with a choice of 2-or 4-strake origines, and the Polaris On Demand Four Wheel Drive give

those who ride the best on the job and on the trail have chosen Polaris ATVS; in 1997, Polaris created 4WD & 6WD models the most traction available from an ATV & Off-Road Vehicle. For almost 15 years, by-side cab seating easily handles heavy work with its or many class of vehicle with its unique Polaris RANN sman, at home, on the job or on the trail, the Polc

GER. For the hunter or

IGER with its side-

ful Polaris 500



Polaris Sales Inc., 1225

engine, automatic transmission, and true 6-wheel-drive traction. Polaris redefined fun on the water when it introduced its first watercreft in 1992. The finest power, performance, and comfort features

make Polaris watercraft the choice of solo riders, families and winning racers. Domestically produced 2- and 3-cylinder engines power smooth-



handling two, three and the first ever four passenger models that carry the family or tow a skier. Polaris-The talented team developing the new Victory motorcycle started with a clean sheet of paper. exdusive performance features have powered the PRO 785 to World and National Championships. Whether headed for a checkered flag or a show lunch, everyone riding a Polaris watercraft is a winnor.

No copying, no fake parts, no covering up the heart and soul of the bike.

stands proud and in its first year was named "Bast Cruiser" by Cycle World As the V92C hit the streets in 1998, its big 92-cubic-inch V-twin engine



and the styling has "Amorican cruiser" written all over it. It's rare to be a newcomer and a leader, magazine. The Victory suspension and chassis deliver responsive handling no other cruiser can match,

but the new Victory motorcycle is flat and much more. The best way to enhance the Polaris riding expenence is with genuine Polaris gannapts and accossories. Polaris clothing and accessories are developed and tested to the same rigorous stdiydards as the Polaris products they enhance and are made pparel provides the ultimate in comfort and protection for riders in oil conditions, and stylish sportsubpar lots Polaris riders show they "Ride the Bost." Genuine Polaris accessories provide riders with extragramfort and add to the versatility of their vehicles. of the highest quality materials. Polaris riding $oldsymbol{q}$



philip, Always wear a helmet and other safety apparel All riders pictured one professionals. Do not attempt maneuvers beyand your 궎